Printing date 01/23/2014

Reviewed on 01/19/2007

#### 1 Identification

Product identifier

Product name: Terbium (III) fluoride

Stock number: 13657

CAS Number: 13708-63-9 EC number: 237-247-0

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

#### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company Johnson Matthey Catalog Company, Inc. 30 Bond Street

30 Bona Street

Ward Hill, MA 01835-8099 Tel: 800-343-0660

Fax: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal hours the Health, Safety and Environmental Department at (800) 343-0660. After normal hours call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

### Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



#### GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.



Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

Information concerning particular hazards for human and environment: Not applicable

Hazards not otherwise classified No information known.

#### Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



CHSUS

#### Signal word Danger

#### Hazard statements

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)

Printing date 01/23/2014 Reviewed on 01/19/2007

Product name: Terbium (III) fluoride

(Contd. of page 1)

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of water/... P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)



Health (acute effects) = 1
Flammability = 0
Physical Hazard = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

#### 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

13708-63-9 Terbium (III) fluoride

Identification number(s): EC number: 237-247-0

#### 4 First-aid measures

#### Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Rub in calcium gluconate solution or calcium gluconate gel immediately.

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

#### Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Hydrogen fluoride (HF)

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

(Contd. on page 3)

Printing date 01/23/2014 Reviewed on 01/19/2007

Product name: Terbium (III) fluoride

Wear fully protective impervious suit.

(Contd. of page 2)

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

#### Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

#### Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

#### Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### Handling

#### Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

#### Conditions for safe storage, including any incompatibilities

#### Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: No information known.

#### Further information about storage conditions:

Protect from carbon dioxide.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

#### Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

#### Control parameters

#### Components with limit values that require monitoring at the workplace:

Fluorides (as F) mg/m3 ACGIH TLV 2.5 Austria MAK 2.5 Belgium TWA 2.5 Finland TWA 2.5 France TWA 2.5 Germany MAK 2.5 Hungary TWA 1: 2-STEL Netherlands MAC-K 3.5 Norway TWA 0.6 Poland TWA 1; 3-STEL Sweden NGV2 Switzerland MAK-W 1.5; 3-KZG-W United Kingdom TWA 2.5 Russia TWA 2 Denmark TWA 2.5 USA PEL 2.5

13708-63-9	Terbium	(III)	fluo	ride	(100.0%)
PEL (USA)	Long-t	erm va	alue:	2.5	mg/m³

as F

REL (USA) Long-term value: 2.5 mg/m³

as F

(Contd. on page 4)

Printing date 01/23/2014 Reviewed on 01/19/2007

Product name: Terbium (III) fluoride

(Contd. of page 3) Long-term value: 2.5 mg/m³ TLV (USA) as F, BEI EL (Canada) Long-term value: 2.5 mg/m³ as F Ingredients with biological limit values: 13708-63-9 Terbium (III) fluoride (100.0%) BEI (USA) 2 mg/L Medium: urine Time: prior to shift Parameter: Fluoride (background, nonspecific) 3 mg/LMedium: urine Time: end of shift Parameter: Fluoride (background, nonspecific)

Additional information: No data

#### Exposure controls

#### Personal protective equipment

#### General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

#### Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing.

#### 9 Physical and chemical properties

Information on basic physical and chemical properties General Information Appearance: Form: Crystalline Color: White Odor: Odorless Odor threshold: Not determined. pH-value: Not applicable. Change in condition Melting point/Melting range: 1172 °C (2142 °F) Boiling point/Boiling range: 2280 °C (4136 °F) Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Not determined.  $Ignition\ temperature:$ Not determined Decomposition temperature: Not determined Auto igniting: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure: Not applicable. Density at 20 °C (68 °F): 7.2 g/cm³ (60.084 lbs/gal) Relative density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: InsolublePartition coefficient (n-octanol/water): Not determined. Viscosity: dvnamic: Not applicable.

(Contd. on page 5)

Printing date 01/23/2014 Reviewed on 01/19/2007

Product name: Terbium (III) fluoride

(Contd. of page 4)

kinematic: Not applicable.

Other information No further relevant information available.

#### 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Incompatible materials: No information known.

Hazardous decomposition products: Hydrogen fluoride

#### 11 Toxicological information

#### Information on toxicological effects

Acute toxicity:

Harmful if inhaled.

Harmful in contact with skin.

Harmful if swallowed.

Danger through skin absorption.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye irritation.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Lanthanons can cause delayed blood clotting leading to hemorrhages. Exposure may also lead to sensitivity to heat, itching, increased awareness of odor and taste, and liver damage. Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.

#### Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

#### 12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

Other adverse effects No further relevant information available.

### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

(Contd. on page 6)

Printing date 01/23/2014 Reviewed on 01/19/2007

Product name: Terbium (III) fluoride

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

#### (Contd. of page 5)

### 14 Transport information **UN-Number** DOT, ADR, IMDG, IATA UN3288 UN proper shipping name DOT Toxic solid, inorganic, n.o.s. (terbium fluoride) ADR3288 Toxic solid, inorganic, n.o.s. (terbium fluoride) TOXIC SOLID, INORGANIC, N.O.S. (terbium fluoride) IMDG, IATA Transport hazard class(es) DOT TOXIC Class 6.1 Toxic substances. Label 6.1 ADR Class 6.1 (T5) Toxic substances Label 6.1 IMDG, IATA Class 6.1 Toxic substances. Label Packing group DOT, ADR, IMDG, IATA IIIEnvironmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Danger code (Kemler): Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Marine Pollutant (DOT): UN "Model Regulation": UN3288, Toxic solid, inorganic, n.o.s. (terbium

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

fluoride), 6.1, III

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

(Contd. on page 7)

Reviewed on 01/19/2007 Printing date 01/23/2014

Product name: Terbium (III) fluoride

(Contd. of page 6)

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

REACH - Pre-registered substances Substance is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the

Department issuing SDS: Health, Safety and Environmental Department.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

USA